

GUIDE ON PROVIDING ADDITIONAL INFORMATION/IMAGES FOR ARCHWAYS/CUSTOM ARCHWAYS

Arches can be very difficult to manufacture if not all information is present.

We will provide our input and experience with the information given if your requested arch would not appear to work with the installation site photos you have provided.

There are multiple factors to consider when planning for arches and information we require.

You need to account for;


- Wall thickness
- If the wall is exposed or finished (sheeted)
- If the archway will be installed onto a nib or a flat surface
- The height of the opening to the ceiling (this can impact due to the sizing of the arch profile)
- The width of the opening
- The width of the nib you are installing into (this can impact due to the sizing of the arch profile)
- Should you require corbels/plinths, that the correct sizing is suited to your archway selection based upon the wall width (not opening width)

We have a variety of Archways that are fixed in sizing (width opening) and a variety of arches that can be extended (elliptical arches), these elliptical arches will flatten out towards the peak.


Should you request a more 'Rounded' top arch, you will need to get a custom one made.

Within this guide is attached images on how we requested information be presented. If provided clear and precise, this will help with the lead time as we will not need to chase up for follow up questions often.

Without the correct amount of information provided, production may halt until provided.



Reference image using CEILING PANELS QLD products.



These images provide a great indication of what we need to create, we do request the length of the nib as well from the opening. And the height of the opening to the ceiling.

We want to do what is right by you and ensure you have the right product for the job!

GUIDE ON CHOOSING THE RIGHT PLINTH & CORBEL

All 'wrap around' arches come within a set of;

2 x Plinths

2 x Corbels

For most of our arches it's default of AC24, and AAP3.

Should you choose to swap these out for a different design, please advise so within the submission with the correct codes of replacements.

When selecting corbels & plinths, ensure you select the correct size and dimensions based upon the arch you have requested, as well as the width of any nibs you may be installing to.

e.g. If your arch width is 140mm gap width, nib/wall width 130mm. (10mm is granted to allow the placement of arch and any plaster/cornice cement to be applied)

Your corbel should not exceed 130mm, due to the width of the wall.

Our plinths are listed here;

[Arch Plinths, Decorative Plaster, AllPlasta Products – Allplasta Range](#)

[Elegant Plaster Arch Stops | Stunning Arch Designs – Ceiling Panels Range](#)

Our corbels are listed here;

[Decorative Plaster Corbels | Huge Range – Allplasta Range](#)

[Elegant Plaster Corbels – Browse Classic & Modern Styles – Ceiling Panels Range](#)

Should you not need any plinths or corbels, please advise in form submission and we will remove them as well as adjust price slightly to reflect this.

Keystones are a separate purchase.

If you require keystones, advise the item code within the description field.

We here at Allplasta Pty Ltd, thank you for your understanding and using this guide to submit your request. This will help streamline us processing your order and will help with lead time, as it will reduce chasing information.

Should we request more information, we will contact you and best advise to respond as soon as possible to ensure no delay in your order.

Thank you from our team.